AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application:

1   1.   (Currently Amended) A method ~~to provide process command line utility output,~~

2   comprising:

3   ~~receiving an identifier;~~

4   invoking, by an application, a call of a command line utility, the application providing an

5   identifier in the call of the command line utility;

6   receiving output from [[a]] the command line utility; [[and]]

7   storing the command line utility output in a system storage at a location identified by the

8   identifier; and

9   retrieving, by the application, the command line utility output from the system storage at

10   the location identified by the identifier.

1   2.   (Currently Amended) The method of claim 1, wherein ~~the act of receiving an~~

2   providing the identifier comprises ~~receiving~~ providing an identifier that identifies one or more

3   entries in a system registry database.

1   3.   (Currently Amended) The method of claim 2, wherein ~~the act of receiving an~~

2   providing the identifier comprises ~~receiving~~ providing a root key identifier.

1   4.   (Currently Amended) The method of claim 3, wherein ~~the act of receiving a~~

2   providing the root key identifier ~~further~~ comprises ~~receiving~~ providing a sub-key identifier.

1   5.   (Currently Amended) The method of claim 2, wherein the system registry

2   database comprises an operating system registry database.

1   6.   (Currently Amended) The method of claim 1, wherein ~~the act of receiving an~~

2   providing the identifier ~~further~~ comprises ~~receiving~~ providing a system storage identifier.

1   7.   (Currently Amended) The method of claim 6, wherein ~~the act of receiving a~~

2   providing the system storage identifier comprises ~~receiving~~ providing an identifier indicating a

3   system registry.

1   8.   (Currently Amended) The method of claim 6, wherein ~~the act of receiving a~~

2   providing the system storage identifier comprises ~~receiving~~ providing an identifier indicating

3   shared system memory.

1   9.   (Currently Amended) The method of claim 8, wherein ~~the act of receiving an~~

2   providing the identifier indicating shared system memory identifies a system clipboard memory.

1   10.   (Original) The method of claim 1, wherein the act of receiving output from a

2   command line utility comprises receiving output directly from the command line output utility.

1   11.   (Original) The method of claim 1, wherein the act of receiving output from a

2   command line utility comprises receiving output from the command line output utility through a

3   subsequent command line output routine.

1   12.   (Original) The method of claim 1, wherein the act of storing comprises

2   associating each line of command line utility output with a line identifier in the system storage.

1   13.   (Currently Amended) The method of claim 12, further comprising setting each

2   line identifier to a value corresponding to ~~that lines~~ a position of that line in the command line

3   utility output.

1   14.   (Currently Amended) The method of claim 12, further comprising setting a

2   default value of the ~~received~~ provided identifier to equal the total number of command utility

3   output lines stored in the system storage.

1   15.   (Currently Amended) A program storage device, readable by a computer,

2   comprising instructions stored on the program storage device for causing the computer to:

3   receive an identifier;

4   cause an application to invoke a call of a command line utility, the application providing

5   an identifier in the call of the command utility;

6   receive output from [[a]] the command line utility; [[and]]

7   store the command line utility output in system storage at a location identified by the

8   identifier; and

9   cause the application to retrieve the command line utility output from the storage at the

10   location identified by the identifier.

1   16.   (Original) The program storage device of claim 15 wherein the instructions to

2   store comprise instructions to store command line utility output in an operating system registry

3   database.

1   17.   (Original) The program storage device of claim 15 wherein the instructions to

2   store comprise instructions to store command line utility output in an operating system

3   maintained volatile memory.

1   18.   (Original) The program storage device of claim 15 wherein the instructions to

2   receive output comprise instructions to receive one or more lines of output from the command

3   line utility, and the instructions to store further comprise instructions to store each of said one or

4   more lines of output in the system storage.

1   19.   (Original) The program storage device of claim 18 wherein the instructions to

2   store further comprise instructions to associate a unique identifier with each of the one or more

3   lines of output stored in the system storage.

4

1   20.   (Original) The program storage device of claim 18 wherein the instructions to

2 store further comprise instructions to set a value associated with the received identifier in the

3 system storage equal to the number of lines of output stored in the system storage.

1   21.   (Currently Amended) A computer system, comprising:

2   a processor; [[and]]

3   <u>a command line utility;</u>

4   <u>an application executable on the processor, the application to call the command line</u>

5 <u>utility, the application to provide an identifier in the call;</u>

6   ~~a storage device coupled to the processor, the storage device having stored thereon a~~

7 ~~program having instructions to receive an identifier, receive output from a command line utility,~~

8 ~~and store the command line utility output in~~ <u>a</u> system storage [[at]] <u>having</u> a location identified

9 by the identifier<u>, the location identified by the identifier to store an output of the command line</u>

10 <u>utility,</u>

11   <u>the application to retrieve the command line utility output from the location identified by</u>

12 <u>the identifier.</u>

1   22.   (Cancelled)

1   23.   (New) The method of claim 1, wherein the command line utility comprises a first

2 command line utility, and wherein invoking the call by the application comprises invoking a call

3 to pipe output of a second command line utility to the first command line utility,

4   wherein storing the command line utility output comprises storing the command line

5 utility output of the first command line utility.

1   24.   (New) The program storage device of claim 15, wherein the command line utility

2   comprises a first command line utility, and wherein invoking the call by the application

3   comprises invoking a call to pipe output of a second command line utility to the first command

4   line utility,

5   wherein storing the command line utility output comprises storing the command line

6   utility output of the first command line utility.

1   25.   (New) The computer system of claim 21, wherein the command line utility

2   comprises a first command line utility, the system further comprising a second command line

3   utility, the application to invoke a call that causes output of the second command line utility to be

4   piped to the first command line utility,

5   the location identified by the identifier to store output of the first command line utility.